Serial No.: 10/715,100

Filed : November 17, 2003

Page : 2 of 8

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

(Canceled) 1-23

24. (Previously Presented) A method of making a Brassica plant producing seeds, said

method comprising the steps of crossing one or more plants of a first Brassica plant line with one

or more plants of a second *Brassica* plant line and selecting one or more progeny plants of said

cross that produce seeds having a long chain monounsaturated fatty acid content of at least 82%

and an erucic acid content of at least 15% based on total fatty acid composition, wherein seeds of

said first Brassica plant line have an erucic acid content of at least 45% based on total fatty acid

composition and seeds of said second Brassica plant line have an oleic acid content of at least

82% based on total fatty acid composition, wherein said *Brassica* plant line is a *Brassica* napus,

Brassica juncea, or Brassica rapa plant line.

25. (Canceled)

(Previously Presented) The method of claim 24, wherein said one or more plants of said 26.

first plant line are Brassica napus plants.

27. (Previously Presented) The method of claim 24, wherein said one or more plants of said

second plant line are Brassica napus plants.

(Previously Presented) The method of claim 24, wherein said one or more plants of said 28.

first plant line are *Brassica rapa* plants.

Serial No.: 10/715,100

Filed : November 17, 2003

Page : 3 of 8

29. (Previously Presented) The method of claim 24, wherein said one or more plants of said second plant line are Brassica rapa plants.

- 30. (Previously Presented) The method of claim 24, wherein said one or more plants of said first plant line are *Brassica juncea* plants.
- 31. (Previously Presented) The method of claim 24, wherein said one or more plants of said second plant line are Brassica juncea plants.
- (Previously Presented) The method of claim 24, wherein said one or more progeny 32. plants produce seeds having an oleic acid content of at least 37% based on total fatty acid composition.
- 33. (Previously Presented) The method of claim 32, wherein said one or more progeny plants produce seeds having an oleic acid content of at least 42% based on total fatty acid composition.
- (Previously Presented) The method of claim 33, wherein said one or more progeny 34. plants produce seeds having an oleic acid content from about 47% to about 56% based on total fatty acid composition.
- 35. (Previously Presented) The method of claim 24, wherein said one or more progeny plants produce seeds having an eicosenoic acid content of at least 14% based on total fatty acid composition.
- (Previously Presented) The method of claim 35, wherein said one or more progeny 36. plants produce seeds having an eicosenoic acid content from about 15% to about 21% based on total fatty acid composition.

Serial No.: 10/715,100

Filed : November 17, 2003

Page : 4 of 8

37. (Previously Presented) The method of claim 24, wherein said monounsaturated fatty acid content of said progeny plant seeds is from about 85% to about 90%.

- 38. (Previously Presented) The method of claim 24, wherein said erucic acid composition of said progeny plant seeds is from about 17% to about 31% based on total fatty acid composition.
- 39. (Previously Presented) The method of claim 24, wherein said one or more progeny plants produce seeds having a saturated fatty acid content of less than 7% based on total fatty acid composition.
- 40. (Previously Presented) The method of claim 24, wherein said one or more progeny plants produce seeds having a polyunsaturated fatty acid content of less than 11% based on total fatty acid composition.
- 41. (Previously Presented) The method of claim 24, wherein one or more progeny plants have a mutation in the nucleotide sequence of an oleic acid desaturase gene, and wherein said mutation renders the activity of the encoded gene product non-functional.
- 42. (Withdrawn) The method of claim 24, wherein said one or more progeny plants have a mutation in the nucleotide sequence of an linoleic acid desaturase gene, and wherein said mutation renders the activity of the encoded gene product non-functional.
- 43. (Withdrawn) The method of claim 24, wherein said one or more progeny plants have a transgene comprising a promoter operably linked to an oleic acid desaturase gene, and wherein expression of said transgene reduces oleic acid desaturase activity.
- (Withdrawn) The method of claim 24, wherein said one or more progeny plants have a 44. transgene comprising a promoter operably linked to an linoleic acid desaturase gene, and wherein expression of said transgene reduces linoleic acid desaturase activity.

Serial No.: 10/715,100

Filed : November 17, 2003

: 5 of 8 Page

(Previously Presented) The method of claim 24, wherein said oleic acid content is at 45. least 84%.

(Currently Amended) The method of claim 24, wherein said oleic acid content is from 46. about 82% to about 85%.